

MATERIAL SAFETY DATA SHEET

StudX

FILE NO.: StudXv2.4

MSDS DATE: 24/08/2021

Not classified as hazardous according to criteria of NOHSC

PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: StudX

SYNONYMS:

PRODUCT CODES: StudX20, StudX200,
SX2004PK, SX20EH10PK, SXFB20, SXFB200,
SXFB2004PK, SXW15

UN NUMBER None Allocated

DG CLASS None Allocated

PACKING GROUP None Allocated

HAZCHEM CODE None Allocated

POISONS SCHEDULE Not Scheduled

PRODUCT USE:

A water based finish for application to timber fences.

SUPPLIER: BLAC Pty Ltd

ADDRESS: U2/4 Gross Street,
Carrington, NSW 2294
Australia

PHONE: +61 2 4001 0174

Email: sales@paintsales.com.au

COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT:

<u>NAME</u>	<u>CAS NO.</u>
Water	7732-18-5
Aqueous copolymer dispersion	
Pigment – Inorganic and/or organic	non-hazardous
CribX	Proprietary
Extenders, defoamer, coalescent, surfactant, dispersant and thickeners	Proprietary

SECTION 2 NOTES:

Water based fence finish consisting of a copolymer emulsion plus stabilisers, pigment, extenders, dispersants, defoamers and a chew/cribbing discourager.

This product does NOT contain capsaicin, nonivamide or chilli related compounds.

The Active ingredient in CribX is NOT listed in the FEI Cleansport database.

Further Risk Mitigation:

1L of StudX covers 10-16 sq/M of fencing.

CribX concentration levels are below 500 parts per million. This would require a horse to eat a substantial amount of fencing to gain measurable exposure.

Racing Australia Banned Substances: We have been unable to source a definitive list of banned substances. We believe our product is safe for use around race horses. If there is additional compounds of concern to you, send us a list and we can provide a written statement that our product does not contain those items.

MATERIAL SAFETY DATA SHEET

StudX

FILE NO.: StudXv2.4

MSDS DATE:24/08/2021

HAZARDS IDENTIFICATION

Acute - Swallowed No adverse effects expected due to swallowing of small amounts incidental to industrial handling. However it is good work practice to avoid ingestion of product.

Acute - Eye May cause slight eye irritation.

Acute - Skin Contact with skin may result in mild irritation. Repeated or prolonged skin contact may lead to irritation.

Acute - Inhaled No adverse effects anticipated by this route of exposure. However it is good work practice to avoid prolonged inhalation of the vapours which may cause slight irritation of nose and respiratory tract.

STATEMENT OF HAZARDOUS NATURE

NON HAZARDOUS SUBSTANCE. NON-DANGEROUS GOODS. According to NOHSC Criteria, and ADG Code.

EMERGENCY OVERVIEW:

FIRST AID MEASURES

Swallowed If swallowed, rinse mouth thoroughly with water.
Give water to drink, do not induce vomiting. Seek medical advice.

Eye If in eyes wash with flowing water for at least 15 minutes. Seek medical advice if effects persists.

Skin Wash affected areas with copious quantities of water.

Inhaled If effects occur remove to fresh air. Seek medical attention.

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS:

No specific antidote. Supportive care. Treat symptomatically.

Exposure Limits None established for this product.

StudX contains pigment which has a WES, but solids are bound into the paint and as such the applicable standards are not relevant.

* = values taken from Worksafe Standard, 'Exposure Standards for Atmospheric Contaminants in the Occupational Environment', 1991

Eng. Controls Use in a well ventilated area only.

FIRE-FIGHTING MEASURES

Fire/Explos. Hazard

Not combustible as supplied.

Product is water based emulsion and will not burn. Dried resin may burn.
Use water to extinguish burning dried resin.

Hazardous Reaction

Stable at normal conditions. Addition of chemicals and freezing temperatures may cause coagulation.

Hazchem Code

None Allocated

MATERIAL SAFETY DATA SHEET

StudX

FILE NO.: StudXv2.4

MSDS DATE:24/08/2021

ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES:

Contain using sand and earth - prevent runoff into drains and waterways.
Prevent contamination of sewers, drains and waterways. Collect wastes and store in labelled containers for disposal. Dispose of waste materials in approved landfill. Wash residues from contaminated area with copious quantity of water.

HANDLING AND STORAGE

HANDLING AND STORAGE: Not classified as a dangerous good for transport by road or rail in the Australian Dangerous Goods Code. Store in a cool place out of direct sun.

OTHER PRECAUTIONS: Read the use instructions on the label and observe recommendations.

OTHER INFORMATION

Toxicology

No acute or chronic toxicity data available for this product.
If recommended precautions for handling and use are adhered to no adverse effects are anticipated. Trace residual monomers in the polymer emulsion are not considered to present a significant hazard under normal work practices and conditions.

Environ. Protection

No data available for this formulation.
May be harmful to aquatic life. Avoid contamination of waterways, drains or sewers. Dilution in water will make the water milky and possibly solids in the paint will separate and sink to bottom of system.

Pkg. & Labelling

No specific requirements with respect to dangerous goods regulations, workplace OH & S regulations or poisonous substances control regulations. Paint conforms with the Uniform paint Standard, Schedule 'P' of SUSDP.

Manufacturers Advice

When surfaces, previously sealed with this coating or similar coatings are prepared by dry sanding or dry blasting techniques it is recommended that an air-purifying (dust) respirator be worn to control the inhalable dust concentrations to less than the recommended Workplace Exposure Standards published by Worksafe Australia (See reference below).

References

'Standard for the Uniform Scheduling of Drugs and Poisons' National Health and Medical Research Council as amended.
'Exposure Standards for Atmospheric Contaminants in the Occupational Environment' Worksafe Australia Standard, October 1991

...End Of MSDS...